


OFFICE OF THE DEAN AND PRINCIPAL, S.C.B MEDICAL COLLEGE, CUTTACK

QUOTATION CALL NOTICE

No. 4986 /Date. 28/04/23

Sealed quotations are invited from the authorized registered Firm for repair of CCTV for Dean & Principal, S.C.B. Medical College, Cuttack. The quotations issued on 29.04.2023 at 10.30. A.M. The quotation should reach this office by 11.00 A.M. on 10.05.2023 and will be opened on 10.05.2023 at 3.30 P.M The quotationer/ Authorised Representatives are required to be present at the time of opening the quotations. No quotation will be received beyond scheduled date and time. The quotationer should furnish attested Photo copy of valid GST/PAN clearance certificate along with the quotation. The list of all documents enclosed duly signed by quotationer. If any information and documents furnished by the quotationer are found to be incorrect, misleading at any stage the quotation will be rejected. The authority reserves the right to cancel any items or quotation without assigning any reason thereof. The envelope should be subscribed for the quoted items.

| <u>Sl.No</u> | <u>Name of Item</u> | <u>Specification</u> |
|--------------|-------------------------------|------------------------|
| 1. | CCTV Camera (dome) | HD, 3 mp /2mp |
| 2. | CCTV Camera (Bullet) | HD, 3 mp /2mp |
| 3. | DVR Machine | 32 Channel/16 Channel |
| 4. | Camera SMPS | 32 Channel /16 Channel |
| 5. | CCTV Hard Disk | 4tb / 2tb |
| 6. | Cable for CCTV (per mtr.) | 3 + 1 |
| 7. | Installation charges for CCTV | Per Unit |
| 8. | DVR Machine Rack | Wall Mounted |


Dean and Principal
S.C.B Medical College, Cuttack

Memo No. _____/Date.

Copy forwarded to the Superintendent, S.C.B Medical College & Hospital, Cuttack/ Director, A.H.R.C.C, Cuttack for information with a request to paste the notice Board in their respective Notice Board for wide publication.

Copy to Sri.Atanu Ku. Baral , DEO , SCBMC , Ctc to upload the quotaion in SCB Website.

Copy to all Notice Board.

Dean and Principal
S.C.B Medical College, Cuttack